Attorney Docket No. 01147/LH

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): M. ASAKAWA et al

Serial No. :

Filed

: Herewith

For

: IMAGE FORMING

APPARATUS

Art Unit Examiner No.: EL 682 566 082 US

Express Mail Mailing Label

Date of Deposit: March 20, 2001

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, 29.C. 20231

llan

, 4

Barbara Villani

arvara

In the event that this Paper is late filed, and the necessary petition for extension of time is not filed concurrently herewith, please consider this as a Petition for the requisite extension of time, and to the extent not tendered by check attached hereto, authorization to charge the extension fee, or any other fee required in connection with this Paper, to Account No. 06-1378.

PRELIMINARY AMENDMENT

Hon. Commissioner of Patents and Trademarks Washington, D.C. 20231

SIR:

Please amend the above-identified application as follows:

IN THE SPECIFICATION:

Please replace the paragraph at page 19, lines 1-3 with the following:

--Figs. 10(a) and 10(b) are illustrations that conceptually illustrate how PPM interval control conditions relating to a wide sheet are determined in step T6 in Fig. 9;--.

REMARKS

In accordance with 37 CFR 1.121(c), a marked-up version of page 19 of the specification is attached hereto.

If the Examiner has any comments, questions, objections or recommendations, the Examiner is invited to telephone the undersigned at the telephone number given below for prompt action.

Respectfully submitted,

LEONARD HOLTZ Reg. No. 22,974

Frishauf, Holtz, Goodman, Langer & Chick, P.C. 767 Third Avenue - 25th Floor New York, New York 10017-2023 (212) 319-4900

Fax No. (212) 319-5101

LH/bv

Figs. 10(a)and 10(b) are illustrations

Fig. 10 is an illustration that conceptually illustrates how PPM interval control conditions relating to a wide sheet are determined in step T6 in Fig. 9;

Fig. 11 is an illustration that conceptually illustrates how detection control conditions for transfer sheet position deviation for a wide sheet are determined in step T6 in Fig. 9;

Fig. 12 is a flow chart showing how image forming utilizing AMS function for a wide sheet is conducted;

Fig. 13 is an illustration showing conceptually how concrete image forming is conducted in step U5 in Fig. 14; and

Fig. 14 is a flow chart showing how image forming utilizing ATS function for a wide sheet is conducted.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

An embodiment of the invention will be explained as follows, referring to the drawings. Fig. 1 is a schematic diagram showing an example of the structure of a copying apparatus (image forming apparatus) relating to the present embodiment. In Fig. 1, a copying apparatus is roughly composed of image reading section, image writing section 20, image forming section 30, transfer sheet conveyance section 40, transfer sheet ejection section 50 and transfer sheet